

L Number	Hits	Search Text	DB	Time stamp
-	610	((expos\$3 adj1 unit) same (light adj emit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:06
-	2429	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:10
-	1	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (((input) adj1 (device or unit or apparatus)) near10 (distortion adj data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:08
-	2	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:09
-	2	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj1 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:10
-	1349	(distortion adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:10
-	2	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj1 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:10
-	47720	((expos\$3) adj1 (unit or device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:10
-	44	((((expos\$3) adj1 (unit or device or apparatus))) and (distortion adj1 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 10:11
-	44	((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:33
-	44	((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:33
-	33	((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus))) and (image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:41

-	1	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:56
-	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and ((image adj form\$3) or (copy adj machine or apparatus or device or unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:43
-	0	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and ((copy) adj (machine or apparatus or device or unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:43
-	3	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)) and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:56
-	486	((cop\$3) with (noise near2 reduc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 09:50
-	0	((((cop\$3) with (noise near2 reduc\$5))) and ((exposure) near2 (unit or device or apparatus))) and (distortion adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 09:53
-	7	((((cop\$3) with (noise near2 reduc\$5))) and ((exposure) near2 (unit or device or apparatus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:18
-	142658	electrophotographic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:18
-	6052	electrophotographic and ((exposure) near2 (unit or apparatus or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:19
-	316	(electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:20
-	173	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:26
-	3	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus)) and ((resist) near2 (pattern\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:22

-	13	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus))) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 13:31
-	1	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and ((distortion) near5 ((exposure) near2 (unit or device or apparatus))) and ((transfer) near2 (unit or device or apparatus))) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 13:38
-	142658	electrophotographic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 13:38
-	10	electrophotographic and (linear near2 distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:30
-	142658	electrophotographic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:32
-	222	electrophotographic and ((l adj e adj d) or (light adj emit\$3 adj diode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:41
-	2	(electrophotographic and ((l adj e adj d) or (light adj emit\$3 adj diode))) and (distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:42
-	10056	electrophotographic and ((led) or (light adj emit\$3 adj diode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:41
-	519	(electrophotographic and ((led) or (light adj emit\$3 adj diode))) and (distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:42
-	7	(electrophotographic and ((led) or (light adj emit\$3 adj diode))) and (distortion) near5 (exposure adj1 (unit or device or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 13:54
-	32708	resist adj1 patter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:24
-	34976	resist adj1 pattern\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:24

-	35020	resist adj1 pattern\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:25
-	0	((resist adj1 pattern\$1) and ((exposure) adj1 (unit or device or apparatus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:29
-	3	(solid adj scan\$5) near2 ((exposure) adj (device or unit or apparatus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:32
-	393552	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:24
-	1057	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and resist adj1 pattern\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:25
-	7	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and resist adj1 pattern\$1) and (correct\$3 near5 skew\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:25
-	35020	resist adj1 pattern\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:16
-	1057	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (resist adj1 pattern\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:16
-	5245	(correct\$3 near5 skew\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:16
-	7	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (resist adj1 pattern\$1)) and ((correct\$3 near5 skew\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:16
-	18041	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:24
-	288	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)) and resist adj1 pattern\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:25

-	5	(((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)) and resist adj1 pattern\$1) and (correct\$3 near5 skew\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:25
-	45	((input or enter) near5 (distortion adj1 data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 09:56
-	10	(((((input or enter) near5 (distortion adj1 data))) and ((led or light adj emit\$3 adj diode) or ((exposure) adj1 (unit or device or apparatus))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 10:02
-	100	(distortion near4 data) and copier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:00
-	6	(input\$4 near10 (distortion near4 data)) and copier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:10
-	35	(input\$4 near10 (distortion near4 data)) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 15:53
-	2	(input\$4 near10 (distortion near4 data)) and (skew near4 correction near4 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 15:54
-	2	(input\$4 near10 (distortion near4 data)) and (skew near4 correction near4 data) and ((skew or deviation) near4 (correction or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 15:56
-	27	(input\$4 near10 (distortion near4 data)) and ((skew or deviation) near4 (correction or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:46
-	0	(led or light adj1 emitting adj1 diode) near10 (curvature near2 shape) near10 (distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:51
-	1949	(led or light adj1 emitting adj1 diode) same (distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:51
-	1	(led or light adj1 emitting adj1 diode) same (curvature near2 shape) near10 (distortion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:54

-	46	(led or light adj1 emitting adj1 diode) same (curvature near2 shape)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:04
-	2	5887088.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:00
-	2	6559976.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:00
-	35020	resist adj pattern\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:25
-	0	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1) same (skew adj corret\$4 adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:27
-	0	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1) with (skew adj corret\$4 adj data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:27
-	493	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:36
-	1	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (skew adj1 correct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:28
-	2	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (skew)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:28
-	9	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (transfer adj1 (body or apparatus or device or unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 19:37
-	1	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1)) same (transfer near2 (body or unit or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 18:39
-	6	(input\$4 with (distortion near4 data)) and (skew near4 correct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 19:45

-	3	(distortion near4 data) and (skew near4 correct\$4) and (resist near6 pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 19:50
-	14	(distortion near4 data) and ((skew or angle) near4 correct\$4) and (resist near6 pattern)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/18 19:50
-	274	(resist or correction or calibration) near3 (mark or pattern or image) same (transfer adj1 belt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:51
-	274	((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:52
-	103	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:03
-	103	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:04
-	14	(((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))) and skew adj1 correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:04
-	14	(((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))) and (skew adj1 correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:04
-	4642	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 17:28
-	1	((((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))) and (distortion adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 17:28
-	300	((((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 17:29
-	727	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 17:28

-	1	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))) and (distortion adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 17:28
-	49	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 17:29
-	1861	correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:05
-	32	(correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:15
-	0	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel) same distortion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:15
-	26	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel) same variation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:16